

## Asbestos Awareness

Issue Date: 10/03/2025 | Version: 1

✓ AA: Asbestos Awareness

NL: Non-Licensed

LW: Licensed Work

DTM: Duty to Manage

AM: Asbestos Management

AS: Analyst/Surveyor

RP: RPE/PPE

SMG: Soil & Made Ground

OH: Occupational Hazards

DANGER  
ASBESTOS



DANGER  
ASBESTOS

## Recognition and Grants



UKATA is an approved CITB 3<sup>rd</sup> Party Awarding Organisation for the Construction Training Register and Construction Training Directory. This UKATA syllabus has been mapped against the CITB standard and is available for automated grant payments to levy registered employers.

Training Type	Grant Tier	Grant Rate	Grant Code
Initial	1	£60	GET0096
Refresher	1	£30	GET2922



UKATA is a Member of The CPD Certification Service providing recognised independent CPD accreditation compatible with global CPD principles.



This UKATA syllabus has been reviewed and independently certified as being suitable for CPD purposes by The CPD Certification Service.



UKATA holds ISO 9001 certification and continues to maintain the quality standard through annual auditing. ISO 9001 is a global standard for quality management systems (QMS), requiring organisations to demonstrate that their internal procedures meet rigorous guidelines, ensuring consistent delivery of quality products and services to customers and stakeholders.

## Contents

<b>Title</b>	<b>Page No</b>
<b>1. Course Title</b>	<b>4</b>
<b>2. Introduction</b>	<b>4</b>
<b>3. Purpose/Scope</b>	<b>4</b>
<b>4. Occupational Relevance</b>	<b>4</b>
<b>5. Duration</b>	<b>4</b>
<b>6. Learner Pre-Requisites</b>	<b>4</b>
<b>7. Individual Learning Needs</b>	<b>4</b>
<b>8. Instruction/Supervision</b>	<b>5</b>
<b>9. Delivery</b>	<b>5</b>
<b>10. Assessment</b>	<b>5</b>
<b>11. Quality Assurance</b>	<b>6</b>
<b>12. Renewal/Refresher</b>	<b>6</b>
<b>13. Approval Date</b>	<b>6</b>
<b>14. Review Cycle</b>	<b>6</b>
<b>15. Additional Resources</b>	<b>6</b>
<b>16. Learning Outcomes</b>	<b>7</b>
<b>17. Required Course Content</b>	<b>8 - 9</b>

## **1. Course Title**

Asbestos Awareness

## **2. Introduction**

This syllabus sets out the guidance issued by UKATA for the provision of asbestos awareness training for employees whose work could foreseeably expose them to asbestos, as defined within the Control of Asbestos Regulations 2012 (CAR 2012).

This document provides the syllabus for the training along with guidance on the minimum content of all courses. Tutors can offer bespoke or tailored training for the remainder of any training session, but the core content must be adhered to.

Asbestos awareness training is not training to work with any forms of asbestos. It is likely to form the first part of training for work with asbestos, but on its own it does not meet the legal requirements laid down under CAR 2012.

## **3. Purpose/Scope**

The purpose of this training is to provide learners with an understanding of the potential hazards and risks associated with asbestos-containing materials (ACMs). Additionally, the course offers a comprehensive outline of the legal provisions that enable employees to protect themselves and others during work-related activities.

## **4. Occupational Relevance**

Supervisors and trades personnel, including trainees such as but not limited to: demolition workers, construction workers, general maintenance staff, electricians, plumbers, gas fitters, painters and decorators, joiners, plasterers, roofers, heating and ventilation engineers, telecommunication engineers, fire and burglar alarm installers, computer installers, architects, building surveyors, shopfitters and other such professionals.

Some learners may require a more developed course which is specific to their area of work such as but not limited to architects and designers, groundworkers, waste and civic amenity site personnel, and marine and offshore workers.

## **5. Duration**

Minimum of 3 learning hours.

*(This includes the time allocated for the final exam)*

## **6. Learner Pre-requisite**

There are no learner pre-requisites as part of this syllabus.

## **7. Individual Learning Needs**

The tutor must assess each learner's individual needs before the course begins and adapt the training accordingly.

## 8. Instruction/Supervision

As a minimum, tutors must meet the following criteria:

- Tutors must have a minimum of at least three years' experience (within the past five years) in the health and safety sector or at least three years' experience (within the past five years) in the asbestos industry which may include, surveying, analytical, removal, consultancy, training, management etc.
- Be able to demonstrate experience of delivering Asbestos Awareness Training.
- Hold a suitable asbestos qualification recognised by the asbestos industry, which may include: asbestos surveying, asbestos management or asbestos removal, or other such qualifications that UKATA deems to be acceptable.
- Hold a recognised trainer qualification, i.e., Level 3 Award in Education and Training, or must achieve this qualification within 12 months of registration with UKATA.
- A successful UKATA Audit, or an internal Audit undertaken by the Member company they are working for at the highest category of training the Tutor will deliver on behalf of the Member.
- After meeting the above criteria, the Tutor is required to pass the UKATA Asbestos Awareness Tutor Knowledge Test.

## 9. Delivery

Training must be delivered in a suitable environment and in accordance with the UKATA [Training Centre & Equipment Minimum Standards](#). All equipment must be of a suitable quality and quantity for learners to achieve learning outcomes and must comply with relevant legislation.

The class size and tutor to learner ratio must allow training to be delivered in a safe manner and enable learners to achieve learning outcomes. The approved training delivery methods for this training along with the maximum tutor to learner ratios are:

<b>Classroom:</b>	1:15
<b>Virtual Classroom:</b>	1:12
<b>E-Learning:</b>	Self-paced (tutor support available as needed)

## 10. Assessment

Attainment of the learning outcomes will be assessed by a multiple-choice exam consisting of at least 15 questions taken from the UKATA question bank and sat under exam conditions. At the discretion of the tutor, learners shall be permitted to refer to any notes they make during the training session, or the training manual/notes provided by the tutor.

Learners will be required to achieve a score of at least 12 out of 15 (80%) in the exam. Failure to achieve this will result in the learner requiring to re-sit the exam under exam conditions. If a learner fails the second attempt, they will be required to re-sit the course in its entirety.

The exam should have a completion time of approximately 20 minutes, though this is intended as a guideline. Tutors should accommodate the diverse needs of learners, which may include reading the questions aloud when necessary. However, no assistance may be provided in answering the questions.

## 11. Quality Assurance

Quality assurance against this syllabus requires verification and approval of the presentation materials, exam papers, course handouts and tutor narrative. Independent audits are carried out to demonstrate conformity with the training standards set by UKATA and each tutor maintains a CPD record that aligns with the UKATA [Tutor Competency Framework](#).

UKATA prides itself on numerous accreditations and certifications that reflect our commitment to the highest standards of service and quality. A detailed list of these can be accessed at: [UKATA Accreditations](#).

## 12. Renewal/Refresher

Certification for this training course will be valid for one year.

It is recommended that renewal/refresher training is carried out annually.

The duration of refresher training is determined by a training needs analysis (TNA) conducted by the training provider and should be a minimum of 1.5 learning hours.

Learners must provide evidence of their previous UKATA Asbestos Awareness (or refresher) training, completed within the last 12 months. If unable to verify recent certification, learners will need to undergo the full training course again.

Following the certification expiration date, a grace period of six months is permitted for refresher training to be delivered. The employer should, in this case, carry out a TNA and discuss the training requirements with the training provider.

## 13. Approved Date

01/02/2025

## 14. Review Cycle

Either on request or within 3 years from approval date.

## 15. Additional Resources

<a href="#">View</a>	Managing and working with asbestos - Control of Asbestos Regulations 2012(CAR 2012) - Approved Code of Practice and guidance.
<a href="#">View</a>	Identify the properties of asbestos and its effect on health, including the increased risk of developing lung cancer for asbestos workers who smoke.
<a href="#">View</a>	List of types, uses and likely occurrence of asbestos and asbestos materials in buildings and plant.
<a href="#">View</a>	Identify the difference between licensable work and non-licensable (notifiable or non-notifiable) work.

## 16. Learning Outcomes

- ✓ Identify and describe the different types and properties of asbestos minerals.
- ✓ Analyse the health risks associated with asbestos exposure, including the impact of smoking.
- ✓ Review general epidemiology and statistics related to asbestos.
- ✓ Recognise various types of asbestos and their common uses.
- ✓ Identify where asbestos and asbestos containing materials (ACMs) can be typically found within buildings.
- ✓ Understand the primary purposes behind the use of asbestos in coatings, insulation, asbestos insulating board, asbestos cement, and other asbestos containing materials.
- ✓ Describe the risks of fibre release from various asbestos containing materials.
- ✓ Demonstrate how to find information about asbestos presence prior to starting work.
- ✓ Explain the emergency procedures for situations where asbestos or ACMs are unexpectedly disturbed or discovered during work.
- ✓ Comprehend the role of asbestos legislation within the broader context of health and safety laws.
- ✓ Summarise key asbestos legislation, focusing on Regulations 5 and 6 of the Control of Asbestos Regulations (CAR).
- ✓ Understand Regulation 4's framework for managing ACMs.

## 17. Required Course Content

<b>DURATION: APPROXIMATELY 60 MINUTES</b>	
<b>MODULE 1</b>	<b>Outline the properties, risks and its effects on health of asbestos exposure:</b>
	1.1 Describe the properties of asbestos: <ul style="list-style-type: none"> <li>• The natural origin and physical properties of asbestos which made it invaluable to construction, transport and industry.</li> <li>• Crocidolite, Grunerite (aka Amosite) and Chrysotile; the common names and characteristics of these minerals.</li> <li>• The geographical sources of asbestos and brief history of the use of asbestos containing materials and associated bans on types of asbestos and product usage.</li> </ul>
	1.2 Outline the risks to and effects on health caused by exposure to asbestos. <ul style="list-style-type: none"> <li>• The basic structure of the respiratory system in order to understand asbestos related diseases: how asbestos fibres can become respirable; pleural plaques and scars; asbestosis; lung cancer; mesothelioma; risk of developing disease; latency periods; amount of exposure required to cause specific diseases.</li> <li>• Increased risk of lung cancer from smoking and its synergistic effects with asbestos exposure.</li> </ul>
	1.3 General epidemiology and statistics. <ul style="list-style-type: none"> <li>• Provide general statistics on the epidemiology and current HSE statistics on asbestos related mortality.</li> </ul>

<b>DURATION: APPROXIMATELY 70 MINUTES</b>		
<b>MODULE 2</b>	<b>Have a general knowledge of the types, uses associated risks and likely occurrence of asbestos and ACMs in buildings and plant:</b>	
	2.1 Outline the types of asbestos containing material: <ul style="list-style-type: none"> <li>• Provide a descriptive and pictorial overview of loose fill, sprayed asbestos, asbestos insulation, asbestos insulating board, asbestos cement and other asbestos containing materials with sufficient information and sequenced in such a way that learners may develop an understanding of the risk levels associated with asbestos containing materials</li> </ul>	
	2.2 Explain where asbestos and ACMs can be typically found within buildings. <ul style="list-style-type: none"> <li>• Illustrate the typical areas of a building where ACMs can be found and their uses within such areas.</li> </ul>	
	2.3 Describe the main reasons for the use of asbestos coating, insulation, asbestos insulating board, asbestos cement and other asbestos containing materials.	
	2.4 Include a minimum of 20 photographs of various asbestos products. There must be at least one photograph taken from each category listed below. All photographs must be arranged in a clear sequence based on the ease of fibre release and include the typical percentage of asbestos composition: <table style="width: 100%; border: none;"> <tbody> <tr> <td style="vertical-align: top;"> <p><b>Loose insulation</b></p> <ul style="list-style-type: none"> <li>- Loose fill insulation</li> </ul> <p><b>Sprayed coatings</b></p> <ul style="list-style-type: none"> <li>- Sprayed coating (aka Limpet, Flock) on concrete &amp; steel</li> </ul> <p><b>Thermal insulation</b></p> <ul style="list-style-type: none"> <li>- Thermal insulation of pipes, boilers &amp; calorifiers etc.</li> </ul> <p><b>Asbestos boards</b></p> <ul style="list-style-type: none"> <li>- AIB sheet, tile, acoustic tile, fire door &amp; packers</li> <li>- Millboard</li> </ul> <p><b>Paper, felt and cardboard</b></p> <ul style="list-style-type: none"> <li>- Acoustic lining</li> <li>- Corrugated cardboard</li> </ul> <p><b>Textiles</b></p> <ul style="list-style-type: none"> <li>- Rope insulation &amp; seals</li> <li>- Cloth</li> <li>- Gaskets</li> </ul> <p><b>Friction products</b></p> <ul style="list-style-type: none"> <li>- Brake pads / clutch plates</li> <li>- Drive belts / conveyor belts</li> </ul> </td> <td style="vertical-align: top;"> <p><b>Cement products</b></p> <ul style="list-style-type: none"> <li>- AC roofing, wall cladding, flue &amp; sills</li> <li>- Undercloaking</li> <li>- Fire surrounds</li> <li>- Bath panels</li> <li>- Pre-formed moulded products</li> </ul> <p><b>Textured coatings</b></p> <ul style="list-style-type: none"> <li>- Textured decorative coatings</li> </ul> <p><b>Bitumen products</b></p> <ul style="list-style-type: none"> <li>- Roofing felts</li> <li>- Bitumen adhesive</li> <li>- Gutter linings &amp; flashings</li> </ul> <p><b>Flooring</b></p> <ul style="list-style-type: none"> <li>- Thermoplastic floor tiles</li> <li>- PVC vinyl floor tiles</li> </ul> <p><b>Reinforced plastic and resin composites.</b></p> <ul style="list-style-type: none"> <li>- Toilet cisterns / seats</li> <li>- Bakelite</li> </ul> </td> </tr> </tbody> </table>	<p><b>Loose insulation</b></p> <ul style="list-style-type: none"> <li>- Loose fill insulation</li> </ul> <p><b>Sprayed coatings</b></p> <ul style="list-style-type: none"> <li>- Sprayed coating (aka Limpet, Flock) on concrete &amp; steel</li> </ul> <p><b>Thermal insulation</b></p> <ul style="list-style-type: none"> <li>- Thermal insulation of pipes, boilers &amp; calorifiers etc.</li> </ul> <p><b>Asbestos boards</b></p> <ul style="list-style-type: none"> <li>- AIB sheet, tile, acoustic tile, fire door &amp; packers</li> <li>- Millboard</li> </ul> <p><b>Paper, felt and cardboard</b></p> <ul style="list-style-type: none"> <li>- Acoustic lining</li> <li>- Corrugated cardboard</li> </ul> <p><b>Textiles</b></p> <ul style="list-style-type: none"> <li>- Rope insulation &amp; seals</li> <li>- Cloth</li> <li>- Gaskets</li> </ul> <p><b>Friction products</b></p> <ul style="list-style-type: none"> <li>- Brake pads / clutch plates</li> <li>- Drive belts / conveyor belts</li> </ul>
<p><b>Loose insulation</b></p> <ul style="list-style-type: none"> <li>- Loose fill insulation</li> </ul> <p><b>Sprayed coatings</b></p> <ul style="list-style-type: none"> <li>- Sprayed coating (aka Limpet, Flock) on concrete &amp; steel</li> </ul> <p><b>Thermal insulation</b></p> <ul style="list-style-type: none"> <li>- Thermal insulation of pipes, boilers &amp; calorifiers etc.</li> </ul> <p><b>Asbestos boards</b></p> <ul style="list-style-type: none"> <li>- AIB sheet, tile, acoustic tile, fire door &amp; packers</li> <li>- Millboard</li> </ul> <p><b>Paper, felt and cardboard</b></p> <ul style="list-style-type: none"> <li>- Acoustic lining</li> <li>- Corrugated cardboard</li> </ul> <p><b>Textiles</b></p> <ul style="list-style-type: none"> <li>- Rope insulation &amp; seals</li> <li>- Cloth</li> <li>- Gaskets</li> </ul> <p><b>Friction products</b></p> <ul style="list-style-type: none"> <li>- Brake pads / clutch plates</li> <li>- Drive belts / conveyor belts</li> </ul>	<p><b>Cement products</b></p> <ul style="list-style-type: none"> <li>- AC roofing, wall cladding, flue &amp; sills</li> <li>- Undercloaking</li> <li>- Fire surrounds</li> <li>- Bath panels</li> <li>- Pre-formed moulded products</li> </ul> <p><b>Textured coatings</b></p> <ul style="list-style-type: none"> <li>- Textured decorative coatings</li> </ul> <p><b>Bitumen products</b></p> <ul style="list-style-type: none"> <li>- Roofing felts</li> <li>- Bitumen adhesive</li> <li>- Gutter linings &amp; flashings</li> </ul> <p><b>Flooring</b></p> <ul style="list-style-type: none"> <li>- Thermoplastic floor tiles</li> <li>- PVC vinyl floor tiles</li> </ul> <p><b>Reinforced plastic and resin composites.</b></p> <ul style="list-style-type: none"> <li>- Toilet cisterns / seats</li> <li>- Bakelite</li> </ul>	



<b>MODULE 3</b>	<b>DURATION: APPROXIMATELY 15 MINUTES</b>
	<b>How to avoid the risks from asbestos:</b>
	3.1 Explain how friability impacts on the risk of fibre release from asbestos coating, insulation, asbestos insulating board, asbestos cement and other asbestos containing materials.
	3.2 Provide an overview of what an asbestos register is; the types of survey that it may have been created from and the information it contains to assist in understanding the location of ACMs.
	3.3 Describe the emergency procedures to be taken if ACMs are discovered or accidentally disturbed.

<b>MODULE 4</b>	<b>DURATION: APPROXIMATELY 15 MINUTES</b>
	<b>Outline of legislation relating to asbestos:</b>
	4.1 Outline of the origins of asbestos legislation and how it fits into the wider context of health and safety legislation including Sections 2, 3 and 7 of the Health and Safety at Work etc. Act 1974.
	4.2 Outline the regulations governing work with asbestos with particular reference to Regulation 5 and 6 of the Control of Asbestos Regulations 2012.
	4.3 Outline legislative framework for managing ACMs.
	4.4 Provide a brief overview of the key elements of Regulation 4 of the Control of Asbestos Regulations 2012. Explain that work with asbestos may be Licensed work (LW), Notifiable Non-Licensed work (NNLW) or Non-Licensed work (NLW) and that Asbestos Awareness training does not prepare anyone for any type of work with asbestos.